

CASSERUOLA ALTA CON DUE MANIGLIE IN ACCIAIO

Saucepot, 2 s/s handles, 5 mm (3/16") thickness / Faitout, 2 anses en acier inox, 5 mm
Kochtopf 2 Edelstahlgriffe Dicke 5 mm / Cacerola alta 2 asas Inox espesor 5 mm



CASSERUOLA ALTA CON UN MANICO TUBOLARE IN ACCIAIO "COOL"

Saucepan, "Cool" s/s tubular handle. 5 mm (3/16") thickness
Casserole haute, 1 manche tubulaire "Cool" en acier inox. Épaisseur 5 mm
Kasserolle, Edelstahlröhrstiel "Cool". Dicke 5 mm
Cacerola alta 1 mango inox tubular "Cool". Espesor 5 mm



PADELLA DRITTA CON UN MANICO TUBOLARE IN ACCIAIO "COOL"

Straight frying pan, 5 mm (3/16") thickness, induction bottom, "Cool" handle
Poêle à frire, 5 mm, fond induction, manche "Cool"
Bratpfanne, Dicke 5 mm, Induktionsboden, "Cool" Stiel
Sartén recta, alta conductividad, espesor 5 mm, fondo inducción, mango "Cool"



TEGAME CON DUE MANIGLIE IN ACCIAIO

Omelette pan, 2 handles. 5 mm (3/16") thickness / Plat rond, 2 anses, fond induction, 5 mm
Pfanne, 2 Griffe, Induktionsboden. Dicke 5 mm / Paellera 2 asas fondo inducción. Espesor 5 mm



Spessore 5 mm Fondo induzione 10 mm

Code	Diameter		Bottom		Height		Capacity		Bar Code
	cm	in	cm	in	cm	in	lt	Cap qt	
ALSA2104SSPI16	16	6 5/16"	11	4 5/16"	8	3 1/8"	1,7	1.80	8007441653422
ALSA2104SSPI20	20	7 7/8"	14,5	5 11/16"	12	4 3/4"	3,3	3.49	8007441653187
ALSA2104SSPI24	24	9 7/16"	18	7 1/16"	13,5	5 5/16"	5,6	5.92	8007441653194
ALSA2104SSPI28	28	11"	22	8 11/16"	16	6 5/16"	9	9.51	8007441653200



Spessore 5 mm Fondo induzione 10 mm

Code	Diameter		Bottom		Height		Capacity		Bar Code
	cm	in	cm	in	cm	in	lt	Cap qt	
ALSC2105SSPIC16	16	6 5/16"	13	5 1/8"	8,6	3 3/8"	1,7	1.80	8007441653354
ALSC2105SSPIC20	20	7 7/8"	14,5	5 11/16"	11,5	4 1/2"	3,3	3.49	8007441653361
ALSC2105SSPIC24	24	9 7/16"	18	7 1/16"	14	5 1/2"	5,6	5.92	8007441653378




Spessore 5 mm Fondo induzione 10 mm

Code	Diameter		Bottom		Height		Bar Code
	cm	in	cm	in	cm	in	
ALSC2111SSPIC20	20	7 7/8"	14,5	5 11/16"	4,5	1 3/4"	8007441653040
ALSC2111SSPIC24	24	9 7/16"	18	7 1/16"	4,5	1 3/4"	8007441653071
ALSC2111SSPIC28	28	11"	22	8 11/16"	5	2"	8007441653088
ALSC2111SSPIC32	32	12 5/8"	24,5	9 5/8"	6	2 3/8"	8007441653095



Spessore 5 mm Fondo induzione 10 mm

Code	Diameter		Bottom		Height		Bar Code
	cm	in	cm	in	cm	in	
ALSA2110SSPI20	20	7 7/8"	14,5	5 11/16"	4,5	1 3/4"	8007441653170
ALSA2110SSPI24	24	9 7/16"	18	7 1/16"	4,5	1 3/4"	8007441653163
ALSA2110SSPI28	28	11"	22	8 11/16"	7	2 3/4"	8007441653156
ALSA2110SSPI32	32	12 5/8"	24,5	9 5/8"	7	2 3/4"	8007441653125



CASSERUOLA BASSA CON DUE MANIGLIE IN ACCIAIO

Casserole pot, 2 s/s handles, 5 mm (3/16") thickness / Sautoir, 2 anses en acier inox, 5 mm
Brattpf 2 Edelstahlgriffe Dicke 5 mm / Cacerola baja 2 asas Inox espesor 5 mm



Spessore 5 mm
Fondo induzione 10 mm

	Diameter		Bottom		Height		Capacity		
Code	cm	in	cm	in	cm	in	lt	Cap qt	Bar Code
ALSA2106SSPI20	20	7 7/8"	14,5	5 11/16"	7	2 3/4"	2,5	2.64	8007441653262
ALSA2106SSPI24	24	9 7/16"	18	7 1/16"	9	3 9/16"	4,1	4.33	8007441653309
ALSA2106SSPI28	28	11"	22	8 11/16"	9,5	3 3/4"	6,4	6.77	8007441653316




CASSERUOLA BASSA CON UN MANICO TUBOLARE IN ACCIAIO "COOL"

Casserole pan, 1 "Cool" s/s handle, 5 mm (3/16") thickness
Casserole, 1 manche tubulaire "Cool" en acier inox. Épaisseur 5 mm
Niedrige Kasserolle Edelstahlstiel "Cool". Dicke 5 mm
Cacerola baja 1 mango inox tubular "Cool". Espesor 5 mm.



Spessore 5 mm
Fondo induzione 10 mm

	Diameter		Bottom		Height		Capacity		
Code	cm	in	cm	in	cm	in	lt	Cap qt	Bar Code
ALSC2107SSPIC20	20	7 7/8"	14,5	5 11/16"	7	2 3/4"	2,5	2.64	8007441653385
ALSC2107SSPIC24	24	9 7/16"	18	7 1/16"	9	3 9/16"	4,1	4.33	8007441653392
ALSC2107SSPIC28	28	11"	22	8 11/16"	9,5	3 3/4"	6,4	6.77	8007441653408



PADELLA SVASATA ALTA A SALTARE CON UN MANICO TUBOLARE IN ACCIAIO "COOL"

Straight frying pan, 3 mm (1/8") thickness, induction bottom, "Cool" handle
Poêle à frire, 3 mm, fond induction, manche "Cool"
Bratpfanne, Dicke 3 mm, Induktionsboden, "Cool" Stiel
Sartén recta, alta conductividad, espesor 3 mm, fondo inducción, mango "Cool"



Spessore 3 mm
Fondo induzione 7,5 mm

	Diameter		Bottom		Height		
Code	cm	in	cm	in	cm	in	Bar Code
ALSC111BSSPIC24	24	9 7/16"	13	5 1/8"	6,5	2 9/16"	8007441654283
ALSC111BSSPIC28	28	11"	15,5	6 1/8"	7,2	2 13/16"	8007441654757
ALSC111BSSPIC32	32	12 5/8"	18,5	7 1/4"	5	2"	8007441655600
ALSC111BSSPIC36	36	14 3/16"	22,5	8 7/8"	6	2 3/8"	8007441664282